

# MILLWORK GUIDE



WESTERN  
*Reflections*



Enclosed Blinds

## Choosing a new entryway is a big decision.

The entry is the focal point of your home. A beautiful entry enhances your home's architecture and adds curb appeal. It also welcomes friends and family, expresses your style, and can hint at what's behind the door.

Glass entryways do even more. They let in natural light while providing the level of outdoor visibility and indoor privacy you want. And doorglass adds a myriad of design possibilities to let you personalize your entry.



Decorative Doorglass







Grilles Between Glass



Simulated Divided Lites

# Table of Contents


- In-Stock Door Glass** . . . . . 4-5
- Decorative Doorglass**
  - Dynasty . . . . . 6
  - Fontana . . . . . 7
  - Laurel . . . . . 8
  - Pembroke. . . . . 9
  - Mistify . . . . . 10
  - Princess . . . . . 11
  - Vintage Craftsman. . . . . 12
  - Windsor . . . . . 13
- Simulated Divided Lites** . . . . 14-15
- Optics Doorglass**
  - Blanca . . . . . 16
  - Chincilla . . . . . 17
  - Linen . . . . . 18
  - Micro-Granite . . . . . 19
- Harmony Blinds** . . . . . 20
- Enclosed Blinds** . . . . . 21
- Grilles Between Glass** . . . . . 22-23
- Clear Glass** . . . . . 24
- Ventlites** . . . . . 25
- Interior Doors** . . . . . 26
- Boards and Moulding** . . . . . 27
- Patio Doors and Retractable Screens** . . . . . 28
- Quikfit Fitted Frame System** . . 29
- Door Options and Upgrades** . . 30
- Order Form** . . . . . 31



Harmony Blinds



# IN-STOCK GLASS



2264-Flush  
Code: D1



2264-6 Panel  
Code: K1



London  
2264-Cutout



Orleans  
2264-Cutout



Victoria  
2215-Cutout



Victoria  
2215-Cutout  
1-Lite



Victoria  
2215-Cutout  
6-Lite



2236-CL 9L  
Code: K4



2236-CL 1L  
Code: K10



2236-9L Internal  
Code: PRA2236



2236-RLB



Ventlite  
2236  
Code: K18



Wagon Wheel  
590-CL 5L  
Code: K15



0806-CL  
Code: K2



0836-CL  
Code: K26



2236 RT-CL 11L  
Code: E3



949-CL 1L  
Code: K92



919-CL 1L  
Code: D62



2248-CL 1L  
Code: K34



2264-CL 1L  
Code: D20



2264-CGBG 15L  
Code: D21





# DYNASTY

## Privacy Rating



## Caming Options



Patina



Brass



Platinum

## Glass Textures



Clear Bevels




Glue Chip



2264-DYN



919-DYN



2248-DYN



949-DYN




2236-DYN



2236 RT-DYN



0764-DYN



0848-DYN

# FONTANA

## Privacy Rating



## Caming Options



Satin Nickel

## Glass Textures



Clear Bevels



Clear Renaissance



Gray Renaissance



2264-FON-SN



2248-FON-SN



949-FON-SN



2236-FON-SN



0764-FON-SN



0848-FON-SN



0836-FON-SN



# LAUREL

## Privacy Rating



## Caming Options



Platinum

## Glass Textures



Clear Bevels



Glue Chip



Granite



2264-LRL



2236-LRL



2238 AT-LRL



2215-LRL\*



591-LRL



0764-LRL



0836-LRL

\*Craftsman frame profile



# PEMBROOK

## Privacy Rating



## Caming Options



Patina

## Glass Textures



Clear Bevels



Arctic



Streamed



Micro Cubed



2248-PEM



2248-PEM



2215-PEM




0848-PEM



0764-PEM

# MISTIFY

## Privacy Rating



2264



2248



2236



0764



0836



2248 - GBG



0836



# PRINCESS

## Privacy Rating



## Coming Options



## Glass Textures



2264-GFD-PL



919-GFD-PL



2248-GFD-PL



949-GFD-PL

# VINTAGE CRAFTSMAN

## Privacy Rating



## Caming Options



Patina

## Glass Textures




Clear Bevels




Eaton



Iced Granite



Rain



2236-CFT



2215-CFT\*

\*Craftsman frame profile



2210 AT-CFT



0764-CFT



0836-CFT



# WINDSOR


## Privacy Rating



## Caming Options



## Glass Textures



2264-WSR



2248-WSR



949-WSR



2236-WSR



2210 AT-WSR



0764-WSR



0848-WSR



0836-WSR

# SIMULATED DIVIDED LITES



## Glass Textures




Clear



Chinchilla



Micro-Granite



Rain



Blanca



Baroque

## Traditional Grille

1-1/8" wide

External Grille

- The look of a true divided lite
- Energy efficiency of a one lite
- Internal spacer
- Backing strips for true wood muntin appearance
- Available in white and stainable oak frames



2264-SDL 8L



2264-SDL 6L



2248-SDL 6L



2248-SDL 4L



# SIMULATED DIVIDED LITES (CRAFTSMAN)

## Glass Textures




Clear

## Craftman Grille

7/8" wide

External Grille

- The look of a true divided lite
- Energy efficiency of a one lite
- Internal spacer
- Backing strips for true wood muntin appearance
- Available in white and stainable oak **Craftsman** frames



\*2215-SDL 3L



\*2215-SDL 6L

\*Craftsman frame profile



# BLANCA

## Privacy Rating



2264



2248



2236



0764



0848



0836



# CHINCILLA

## Privacy Rating



2264



2248



2236



0764



0848




0836



# LINEN

## Privacy Rating



2264



2248



2236



0764



0848




0836





# MICRO-GRANITE

## Privacy Rating



2264



2248



2236



0764



0848



0836

# HARMONY BLINDS

- Offered in White Blinds enclosed in Clear Glass
- Single reduced travel operator for raise, lower and tilt
- Energy efficient Warm-Edge Spacer system
- No dusting
- Safe for children and pets
- Privacy Channels for complete privacy



2236-RLB



2248-RLB



2264-RLB



2236-BLD 9L



2264-BLD 15L



# ENCLOSED BLINDS

- Offered in White Blinds and 27/32" White Contoured Bar enclosed in Clear Glass
- Triple-pane insulation offers superior energy performance
- Reduces outside noise intrusion
- No dusting
- Blinds are hidden when fully raised
- Privacy Channels for complete privacy
- Safe for children and pets
- Single reduced travel operator for raise, lower and tilt



2264-BLD



2236-BLD



2264-BLD



2236-BLD

# PRAIRIE GRILLES BETWEEN GLASS

## Glass Textures



Clear

## Grille Options

11/16" wide

OR

5/8" wide

White Contoured  
Prairie Bar (CPIM)

White Flat  
Prairie Bar (PIM)



2264-CPIM 9L  
Code: PRA2264



0836-CPIM / PIM 6L



2236-CPIM / PIM 9L  
Code: PRA2236



0836-CPIM / PIM 6L



0764-CPIM / PIM 6L

# CONTOURED GRILLES BETWEEN GLASS

## Glass Textures



Clear

## Grille Options

1 1/16" wide

White Contoured Bar (CGBG)



2248-CGBG 12L



2236-CGBG 9L



2264-CGBG 15L



0764-CGBG 5L



0848-CGBG 4L





# CLEAR GLASS

## Glass Textures



Clear



2206-CL 4L



2236-CL 12L



2238 AT-CL 1L



2248-CL 12L



2210 AT-CL 11L



0764-CL



0848-CL



0836-CL



0836-CL 3L



0764-CL 5L



# VENTLITES

Use our Ventlites for a boost of fresh air in workshops, garages, or your home.

- Ergonomic latches adjust to 10 positions
- UV resistant Solar Shield frame
- Includes Screen
- 20 year warranty

## Grille Options

NO GRILLE OR

3/8" x 5/8"

White  
Contoured Bar

## Glass Textures



Clear



2236-VL  
CLEAR GLASS  
Code: K18V11



2236-VL 12L  
CLEAR GBG MUNTIN  
Code: K18V66



# MOLDED & FLUSH WOOD INTERIOR DOORS



**6 Panel 1-3/8 Hollow Core**

**Textured and Smooth**

Slabs	Bifolds
1/6X6/8	2/0X6/8
2/0X6/8	2/8X6/8
2/4X6/8	3/0X6/8
2/6X6/8	
2/8X6/8	
3/0X6/8	



**6 Panel 1-3/8 Solid Core**

**Smooth Only**

Slabs	HC Bifolds
1/6X6/8	2/0X6/8
2/0X6/8	2/8X6/8
2/4X6/8	3/0X6/8
2/6X6/8	
2/8X6/8	
3/0X6/8	



**Birch 1-3/8 Hollow Core**

**Lauan 1-3/8 Hollow Core**

Slabs	Bifolds
1/6X6/8	2/0X6/8
2/0X6/8	2/6X6/8
2/4X6/8	3/0X6/8
2/6X6/8	
2/8X6/8	
3/0X6/8	

## PRIMED SHAKER AND PINE STILE & RAIL INTERIOR DOOR'S



**2 PANEL 4102**



**3 PANEL 4103T**

Slabs
1/6X6/8
2/0X6/8
2/4X6/8
2/6X6/8
2/8X6/8
3/0X6/8



**6 PANEL RADIATA 108**

Slabs	Bifolds
1/6X6/8	2/0X6/8
2/0X6/8	2/8X6/8
2/4X6/8	3/0X6/8
2/6X6/8	
2/8X6/8	
2/10X6/8	
3/0X6/8	




**FRENCH DOORS**

Slabs
2/0X6/8
2/4X6/8
2/6X6/8
2/8X6/8
3/0X6/8

Custom sizes available, please contact our sales team for pricing and lead times.



# BOARDS & MOULDING



Other styles available, please contact our sales team for pricing and lead times.

# PATIO DOORS AND RETRACTABLE SCREENS

SKU# 6068SLIDEROX R301 LOWE ARGON WHITE 71-1/2"X79-1/2"

SKU# 6068SLIDERXO R301 LOWE ARGON WHITE 71-1/2"X79-1/2"

SKU# 6068SLIDERMINIOX R301 MINI BLIND WHITE 71-1/2"X79-1/2"

SKU# 6068SLIDERMINIXO R301 MINI BLIND WHITE 71-1/2"X79-1/2"

- DP35 U Factor 0.29 SHGC 0.23 (Mini Blind Unit has Lowe 80/70 U Factor .036)
- Thermally Welded pvc Frame & Panels
- 4-5/8" Frame (3-1/4" behind the Integrated Nail Fin)
- Sealed Unit with Tempered Glass and Low-Conductive Spacer
- Narrow Sash & Screen Included
- Tandem Bearings for Easy & Smooth Operation w/Frontal Wheel Adjustment
- Steel Reinforcement in Vertical Stiles
- Anodized Aluminum Screen Rail
- Draining System with Anti-Return Flap (Water & Air)
- Prestige Mortise Handle
- X = Operating Panel O = Fixed Panel (Exterior View)

Other styles available, please contact our sales team for pricing and lead times.



## IMPROVED DESIGN

- Top and bottom track lock allows for a secure lock and individual door locks on double screens
- Better screen seal with Velcro track design
- Improved slide guides for better performance
- 5-year warranty available on parts (mesh not included)

## EASY INSTALLATION

- Ease of installation with frame assembly screen
- Simple to follow installation instructions and video

## OPTIONS

- Standard height with width cut-downs for reduced inventory SKUs
- Available in eight SKUs
  - Inswing: Retro (single and double) and Full-View Size (single and double)
  - Outswing Retro (single and double) and Full-View Size (single and double)



**DOUBLE**  
Shown with  
one side open



**SINGLE**  
Shown with  
screen open

# QUIKFIT **FITTED FRAME SYSTEM**

The QuikFit Door Frame System is an entrance system that features a steel-edge door panel prehung into an adjustable steel frame. This system is easy to install and offers the industry's highest fire and security ratings, making it ideal for a variety of project types.

## ADJUSTABLE 2-PIECE FRAME



- Perfect for multi-family and light commercial applications
- Two-piece adjustable steel frame – base jamb is installed in the opening and closer trim piece is attached from the opposite side
- 4-1/2" to 9-1/2" wall construction (1" adjustment) for 1-3/4" door
- Florida Building Code (FBC) and Texas Department of Insurance (TDI) approved
- Design Pressure Ratings of +/- 60 up to 3670
- Available in 6/8, 7/0, and 8/0 heights
- One year warranty

*\*Instock with our 6 panel or flush 90min rated doors*

## STEEL-EDGE DOOR PANEL


- Prehang any of our steel-edge door panels for a complete 90-minute fire rated door system
- Full steel-edge perimeter provides additional strength and a Grade 40 security rating
- 20+ embossments available in varying heights, widths, and 10" ADA rail
- View our entire offering at [taylordoor.com](http://taylordoor.com)

*\*Special order options available \**



## AVAILABLE COMPONENTS & PREPS

- Four standard hinge preps
- Variety of hinge types & finishes
- Closer & panic reinforcements
- Peep site prep
- Multiple lock prep & bore options
- Retainer & Slide-on sweeps
- Sills: Inswing, Outswing, & ADA Complaint available
- Fire Rating Labels
- Optional snap-on steel casing available in Colonial & Standard profiles





# DOOR OPTIONS AND UPGRADES

## NOVATECH STEEL DOORS

- Prefinished White 24ga steel with 5year Warranty
- HCFC-free polyurethane foam insulation
- 12" Pine Blocking with 1-3/16 jointed pine stiles
- Composite bottom rail prevents rotting



## TRUTECH FIBERGLASS DOORS

- Smooth or Textured fiberglass
- Top and bottom composite rails
- Molded fiberglass skins, and polyurethane foam core
- 2" engineered stiles



## DURA-FRAME JAMB

- Alaskan Yellow Cypress at the bottom of the jambs to resist rot and insects.
- One Piece design, up to 12" depth, with no unsightly jamb extensions
- Limited lifetime warranty
- Primed, vinyl and textured wrapped



## PENROD HINGES STANDARD OR UPGRADE TO BALL BEARING

- Reduces door squeak and eliminates grinding dust
- Three finishes available  
Satin brass, satin nickel, oil ribbed bronze



## GPI FULL COMPOSITE ADJUSTABLE SILLS

- Satin Finish with Bronze cap or Bronze Finish with Wood cap
- Solid PVC base, thermal resistant, non-rot and foam end gasket
- 1", 2" 3" and 4" extensions' available



## SHERWIN WILLIAMS STOCK STAIN CHOICES



COLOR CHARTS ARE PROVIDED AS A REFERENCE ONLY—MAY NOT BE AN ACCURATE REPRESENTATION. PLEASE REFER TO NORTH COUNTIES'S CURRENT COLOR FAN DECK FOR THE MOST ACCURATE COLOR. NORTH COUNTIES IS NOT RESPONSIBLE FOR COLOR VARIANCES.

## SHERWIN WILLIAMS STOCK PAINT CHOICES



# EXTERIOR DOOR QUOTE & ORDER FORM

PHONE: 315-642-3401

FAX: 315-642-5052

Date: \_\_\_\_\_ Company Name: \_\_\_\_\_

☐ Quote or ☐ Order Form/PO# \_\_\_\_\_

Door Unit: ☐ Door Only ☐ Single Door ☐ Double Door  
☐ Door with 1 Sidelight / Hinge or Lock Side ☐ Door with 2 Sidelights  
☐ Transom Applied to Any Unit (specify in additional notes)

Door Style: ☐ Painted White Steel ☐ Smooth Fiberglass ☐ Textured Fiberglass

Door Size: ☐ 2-6 ☐ 2-8 ☐ 2-10 ☐ 3-0 ☐ 3-6 ☐ 4-0 ☐ 5-0 ☐ 5-4 ☐ 5-8 ☐ 6-0

Door Height: ☐ 6-8 ☐ Custom Rough Opening Height \_\_\_\_\_

Sidelight Size: ☐ 12" ☐ 14"

Glass Name: \_\_\_\_\_ Glass Caming Color: \_\_\_\_\_ Grids: Internal, External or SDL

Jamb Type: ☐ Primed Wood ☐ White Cap Composite ☐ Stainable Composite ☐ Pine ☐ Quikfit Metal

Jamb Width: ☐ 4-9/16 ☐ 6-9/16 ☐ Custom \_\_\_\_\_ up to 12-1/4"

Door Swing: ☐ In-Swing ☐ Out-Swing

Door Handing: (pulling toward you) ☐ Left Hand ☐ Right Hand

Double Door Handing: ☐ Left Door Active from **Inside** ☐ Right Door Active from **Inside**

Brickmold: ☐ Yes ☐ No

Sill Option: ☐ Composite Adjustable ☐ Bronze ☐ Handicap

Hinge Type: ☐ Standard ☐ Ball Bearing

Hinge Color: ☐ Satin Brass ☐ Satin Nickel ☐ Oil Rubbed Bronze

Deadbolt: ☐ Yes ☐ No

Weatherstrip: ☐ Bronze Compression ☐ Beige Magnetic


Sill Pan: ☐ Yes ☐ No

Door Viewer: ☐ Yes ☐ No If Yes, Circle: Brass Satin Nickel Bronze

Paint Color: \_\_\_\_\_ ☐ Jamb ☐ Lite Frame ☐ Both Sides ☐ Interior Only ☐ Exterior Only

Stain Color: \_\_\_\_\_ ☐ Jamb ☐ Lite Frame ☐ Both Sides ☐ Interior Only ☐ Exterior Only

Additional Notes:



# ROUGH OPENING CHART

Door Size	Opening Type	Wood Frame Unit		Door with 14" Sidelight	
		Width	Height	Single Sidelite	Double Sidelites
Single Door - 2/6	Rough	32-1/2"	82"	48"	63-1/2"
	Brick	34"	82-3/4"	49-1/2"	64"
Single Door - 2/8	Rough	34-1/2"	82"	50"	65-1/2"
	Brick	36"	82-3/4"	51-1/2"	66"
Single Door - 3/0	Rough	38-1/2"	82"	54"	69-1/2"
	Brick	40"	82-3/4"	55-1/2"	71"
Single Door - 3/6	Rough	44-1/2"	82"	60"	75-1/2"
	Brick	46"	82-3/4"	61-1/2"	76"
Double Door - 5/0	Rough	63"	82"	78-1/2"	94"
	Brick	64-1/2"	82-3/4"	80"	94-1/2"
Double Door - 5/4	Rough	67"	82"	82-1/2"	98"
	Brick	68-1/2"	82-3/4"	84"	98-1/2"
Double Door - 6/0	Rough	75"	82"	90-1/2"	106"
	Brick	76-1/2"	82-3/4"	92"	106-1/2"
Sidelite Only - 14"	Rough	16-1/2"	82"		
	Brick	18"	82-3/4"		

FOR ACTUAL UNIT DIMENSIONS PLEASE DEDUCT 1/2" IN HEIGHT AND 1" IN WIDTH FROM ROUGH OPENING DIMENSION.

IF USING 12" SIDELITES DEDUCT 2" OFF ROUGH OPENING FOR 1 SIDELITE OR 4" OFF ROUGH OPENING FOR 2 SIDELIGHTS.

BRICKMOULD DIMENSIONS SHOWN ARE FOR IN-SWING DOORS. FOR OUT-SWING DOORS, ADD 1/2" TO WIDTH AND 1/4" TO HEIGHT.

## HANDING CHART

### INSWING

As viewed from the **INSIDE** pulling the door toward you.



LEFT HAND




RIGHT HAND

### OUTSWING

As viewed from the **OUTSIDE** pulling the door toward you.



LEFT HAND



RIGHT HAND

### DOUBLE DOORS

Viewed as you pull doors toward you.




LEFT DOOR ACTIVE




RIGHT DOOR ACTIVE

### PATIO DOORS

Viewed as you pull doors toward you.



LEFT HAND ACTIVE



RIGHT HAND ACTIVE



5 Depot Street  
PO Box 179  
Philadelphia, NY 13673

Phone: 800-721-3739  
Fax: 315-642-5052



Western Reflections glass  
can be used in doors to meet  
ENERGY STAR® criteria

**WESTERN**  
*Reflections*  
AN ODL COMPANY

221418 (1/22)  
© Western Reflections 2022