

DOORGLASS CATALOG



Choosing a new entryway is a big decision.

The entry is the focal point of your home. A beautiful entry enhances your home's architecture and adds curb appeal. It also welcomes friends and family, expresses your style, and can hint at what's behind the door.

Glass entryways do even more. They let in natural light while providing the level of outdoor visibility and indoor privacy you want. And doorglass adds a myriad of design possibilities to let you personalize your entry.



Sherwin Williams - Black Bean SW 6006



Clear Glass



Rain



Grills Between Glass

Table of Contents

| | |
|--|----|
| Instock Glass | 4 |
| Serenity / Brigantine / Taj | 6 |
| Landscape/Portrait | 8 |
| Paragon | 10 |
| Onyx..... | 11 |
| Bevel Cluster / Embassy | 12 |
| Simulated Divided Lights..... | 14 |
| Frost (Privacy) | 16 |
| Chinchilla (Privacy) | 17 |
| Rain..... | 18 |
| Microgranite (Privacy) | 19 |
| Glide Internal Blinds | 20 |
| Prairie Grills Between Glass..... | 22 |
| Grills Between Glass | 23 |
| Clear Glass | 24 |
| Ventlites | 25 |
| Molded and Flush Wood Interior Doors | 26 |
| Boards and Moulding | 27 |
| Patio Doors and Retractable Screens | 28 |
| Quikfit Fitted Frame System | 29 |
| Door Options and Upgrades | 30 |
| Exterior Door Quote and Order Form | 31 |
| Rough Opening and Handing Chart | 32 |

Instock Glass

COLLECTION



Sherwin Williams - Whitetail SW 7103



22 x 15



22 x 15 6LT
Ext Grid



22 x 64 1 LT



22 x 64 15LT
Ext Grid



22 x 48 1LT



22 x 36 1LT



22 x 36 9LT
Ext Grid



14 x 37



22 x 10 5LT Sunburst
Ext Grid



8 x 6



22 x 36 9LT Prairie GBG



22 x 36 Ventlite



22 x 36 Glide Blinds
Between Glass



22 x 36 11LT Roundtop
Ext Grid



8 x 36

Serenity / Taj / Brigantine


DECORATIVE GLASS



Serenity — Zinc Caming



Taj — Brass Caming



Brigantine — Black Patina Caming

PRIVACY

4/5

TEXTURES

- 1. Glue Chip
- 2. Clear Bevels
- 3. Clear Baroque

CAMING

- Serenity—Zinc
- Taj—Brass
- Brigantine—Black Patina



22 x 64 ● ● ●
22 x 80 ● ● ●



7 x 64 ● ● ●
8 x 80 ● ● ●



22 x 48 ● ● ●



8 x 48 ● ● ●



22 x 36 ● ● ●



8 x 36 ● ● ●



14 x 37 ● ● ●



Sherwin Williams - Whitetail SW 7103



22 x 17 ● ●
22 x 15.25 ● ●



22 x 10 ● ●



22 x 10 ● ● ●




7.5 x 18.5 ● ●

Landscape/ Portrait

DECORATIVE GLASS



Landscape — Zinc Caming



Portrait — Black Patina Caming

PRIVACY

4/5

TEXTURES

- 1. Chinchilla
- 2. Waterglass
- 3. Clear Bevel
- 4. Pebble

CAMING

- Zinc
- Black Patina



22 x 64

● ●



7 x 64

● ●



22 x 48

● ●



8 x 48

● ●



22 x 36

● ●



8 x 36

● ●



14 x 37

● ●



Sherwin Williams - Alabaster SW 7008



22 x 17 ●
22 x 15.25 ●




22 x 10 ●

Paragon

DECORATIVE GLASS



Sherwin Williams - Relentless Olive SW 6425



PRIVACY

3/5

TEXTURES

1. Clear Bevels
2. Beveled Granite
3. Granite

CAMING

- Black Patina



22 x 64



7 x 64



22 x 48



8 x 48



22 x 36



8 x 36

Onyx


DECORATIVE GLASS

NEW

New for 2024



Sherwin Williams - Black Bean SW 6006



PRIVACY

4/5

TEXTURES

1. Chord
2. Black Glass
3. Black Baroque Glass
4. Water Glass
5. Pinhead

CAMING

- Black Patina




Bevel Cluster / Embassy

DECORATIVE GLASS



Embassy — Zinc Caming



Bevel Cluster — Brass Caming

PRIVACY —
4/5

TEXTURES —
1. Glue Chip
2. Gray Baroque
3. Clear Bevel

CAMING —
● Zinc
● Brass



22 x 64 ● ●
22 x 80 ● ●



7 x 64 ● ●
8 x 80 ● ●



22 x 48 ● ●



8 x 48 ● ●



22 x 36 ● ●



8 x 36 ● ●



14 x 37 ● ●



Sherwin Williams - Hickory Smoke SW 7027



22 x 10




7.5 x 18.5



Frost

PRIVACY GLASS



PRIVACY

5/5

TEXTURES

1. Frost

PRIVACY GLASS



Also available with external grills.



Chinchilla

PRIVACY GLASS



Sherwin Williams - Black Magic SW 6991



PRIVACY

4/5

TEXTURES

1. Chinchilla

PRIVACY GLASS



22 x 64
10 LT



22 x 48
6 LT



22 x 36
4 LT

Also available with external grills.



22 x 64



7 x 64



22 x 48



8 x 48



22 x 36



8 x 36

Rain

PRIVACY GLASS



PRIVACY
5/5

TEXTURES
1. Rain

PRIVACY GLASS



Also available with external grills.



Microgranite

PRIVACY GLASS

NEW

New for 2024



PRIVACY

4/5

TEXTURES

1. Microgranite

PRIVACY GLASS



22 x 64
10 LT



22 x 48
6 LT



22 x 36
4 LT

Also available with external grills.



22 x 64



7 x 64



22 x 48



8 x 48



22 x 36



8 x 36

Simulated Divided Lites



Our Craftsman SDL are supplied with a flat profile frame and 1 1/8" wide external bars


Our SDLs Feature:

Standard Craftsman: Flat profile with 1 1/8" external bars and mill finished Grills Between Glass

Standard Injection Molded: Raised profile with mill finished Grills Between Glass



22x64
8 Lite



22x64
6 Lite



22x48
6 Lite



22x48
4 Lite



22x15
3 Lite



22x15
6 Lite

Glide Internal Blinds



OUR INDUSTRY'S MOST RELIABLE BLIND

Glide Internal Blinds are offered in White, Tan & Black Colorways.



22 x 64



22 x 48



22 x 36



WHITE



TAN



BLACK



22 x 64



22 x 36

Features and Benefits:

Thermally sealed between
two panes of safety
tempered glass

Ergonomic single operator

Successfully tested over
25,000 cycles

Energy efficient Low-E

No need to dust or clean

Sightline privacy when closed



22 x 64



22 x 36



22 x 64



22 x 36

Grills Between Glass

CONFIGURATION OPTIONS



Sherwin Williams - Pure White SW 7005



STANDARD 5/8" WHITE



WIDE BAR 13/16" WHITE



22 x 64
15 Lite



7 x 64
5 Lite



22 x 48
12 Lite



8 x 48
4 Lite



22 x 36
9 Lite

Grills Between Glass

PRAIRIE STYLE



Sherwin Williams - Choice Cream SW 6357



22x64



7x64



22x36



8x36



22x36

Clear Glass



| | | | | | | | |
|--|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |
| 7 x 64 | 7 x 64 5 LT Ext | 8 x 48 | 8 x 48 4 LT Ext | 8 x 36 | 22 x 48 12 LT | 22 x 10 11 LT Ext | 22 x 6 4 LT |

Ventlites



Features and Benefits:

Available in clear glass

Easy to operate

Lets air into the home



22 x 64



22 x 48



22 x 36

In Stock Interior Door Selection

Molded & Flush Wood Interior Doors



6 Panel1-3/8 Hollow Core

Textured and Smooth

| Slabs | Bifolds |
|---------|---------|
| 1/6X6/8 | 2/0X6/8 |
| 2/0X6/8 | 2/8X6/8 |
| 2/4X6/8 | 3/0X6/8 |
| 2/6X6/8 | |
| 2/8X6/8 | |
| 3/0X6/8 | |



6 Panel1-3/8 Solid Core

Smooth Only

| Slabs | HC Bifolds |
|---------|------------|
| 1/6X6/8 | 2/0X6/8 |
| 2/0X6/8 | 2/8X6/8 |
| 2/4X6/8 | 3/0X6/8 |
| 2/6X6/8 | |
| 2/8X6/8 | |
| 3/0X6/8 | |



Lauan1-3/8 Hollow Core

| Slabs | Bifolds |
|---------|---------|
| 1/6X6/8 | 2/0X6/8 |
| 2/0X6/8 | 2/6X6/8 |
| 2/4X6/8 | 3/0X6/8 |
| 2/6X6/8 | |
| 2/8X6/8 | |
| 3/0X6/8 | |

Primed Shaker and Pine Stile & Rail Interior Doors



2 PANEL 4102

3 PANEL 4103T

| Slabs |
|---------|
| 1/6X6/8 |
| 2/0X6/8 |
| 2/4X6/8 |
| 2/6X6/8 |
| 2/8X6/8 |
| 3/0X6/8 |



6 PANEL RADIATA 108

| Slabs | Bifolds |
|----------|---------|
| 1/6X6/8 | 2/0X6/8 |
| 2/0X6/8 | 2/8X6/8 |
| 2/4X6/8 | 3/0X6/8 |
| 2/6X6/8 | |
| 2/8X6/8 | |
| 2/10X6/8 | |
| 3/0X6/8 | |




FRENCH DOORS

| Slabs |
|---------|
| 2/0X6/8 |
| 2/4X6/8 |
| 2/6X6/8 |
| 2/8X6/8 |
| 3/0X6/8 |

Custom sizes available . Please contact our sales team for pricing and lead time.

Boards & Moulding



Custom sizes available . Please contact our sales team for pricing and lead time.

Patio Doors

Novatech offers patio doors known for the quality of their assembly.



550



LOFT



ELEMENT



BUCKINGHAM



2900 HYBRID



2900



BRIGHTON



KENT



IMAGINE



VICTORIAN



URBANIA



WINDSOR



STUDIO



630

Whether you are looking for a PVC or an aluminum patio door, we have the right one for you.

QUIKFIT **FITTED FRAME SYSTEM**

The QuikFit Door Frame System is an entrance system that features a steel-edge door panel prehung into an adjustable steel frame. This system is easy to install and offers the industry's highest fire and security ratings, making it ideal for a variety of project types.

ADJUSTABLE 2-PIECE FRAME



- Perfect for multi-family and light commercial applications
- Two-piece adjustable steel frame – base jamb is installed in the opening and closer trim piece is attached from the opposite side
- 4-1/2" to 9-1/2" wall construction (1" adjustment) for 1-3/4" door
- Florida Building Code (FBC) and Texas Department of Insurance (TDI) approved
- Design Pressure Ratings of +/- 60 up to 3670
- Available in 6/8, 7/0, and 8/0 heights
- One year warranty

**Instock with our 6 panel or flush 90min rated doors*

STEEL-EDGE DOOR PANEL


- Prehang any of our steel-edge door panels for a complete 90-minute fire rated door system
- Full steel-edge perimeter provides additional strength and a Grade 40 security rating
- 20+ embossments available in varying heights, widths, and 10" ADA rail
- View our entire offering at taylordoor.com

**Special order options available **



AVAILABLE COMPONENTS & PREPS

- Four standard hinge preps
- Variety of hinge types & finishes
- Closer & panic reinforcements
- Peep site prep
- Multiple lock prep & bore options
- Retainer & Slide-on sweeps
- Sills: Inswing, Outswing, & ADA Complaint available
- Fire Rating Labels
- Optional snap-on steel casing available in Colonial & Standard profiles



Door Options & Upgrades

NOVATECH STEEL DOORS

- Prefinished White 24ga steel with 5year Warranty
- HCFC-free polyurethane foam insulation
- 12" Pine Blocking with 1-3/16 jointed pine stiles
- Composite bottom rail prevents rotting

N300



TRUTECH FIBERGLASS DOORS

- Smooth or Textured fiberglass
- Top and bottom composite rails
- Molded fiberglass skins, and polyurethane foam core
- 2" engineered stiles



DURA-FRAME JAMB

- Alaskan Yellow Cypress at the bottom of the jambs to resist rot and insects.
- One Piece design, up to 12" depth, with no unsightly jamb extensions
- Limited lifetime warranty
- Primed, vinyl and textured wrapped




PENROD HINGES STANDARD OR UPGRADE TO BALL BEARING

- Reduces door squeak and eliminates grinding dust
- Three finishes available
Satin brass, satin nickel, oil ribbed bronze



GPI FULL COMPOSITE ADJUSTABLE SILLS

- Satin Finish with Bronze cap or Bronze Finish with Wood cap
- Solid PVC base, thermal resistant, non-rot and foam end gasket
- 1", 2" 3" and 4" extensions' available



SHERWIN WILLIAMS STOCK STAIN CHOICES



COLOR CHARTS ARE PROVIDED AS A REFERENCE ONLY—MAY NOT BE AN ACCURATE REPRESENTATION. PLEASE REFER TO NORTH COUNTIES'S CURRENT COLOR FAN DECK FOR THE MOST ACCURATE COLOR. NORTH COUNTIES IS NOT RESPONSIBLE FOR COLOR VARIANCES.

SHERWIN WILLIAMS STOCK PAINT CHOICES



Exterior Door Quote & Order Form

Date: _____ Company Name: _____

☐ Quote or Order Form/PO# _____

Door Unit: ☐ Door Only ☐ Single Door ☐ Double Door
☐ Door with 1 Sidelight / Hinge or Lock Side ☐ Door with 2 Sidelights
☐ Transom Applied to Any Unit (specify in additional notes)

Door Style: ☐ Painted White Steel ☐ Smooth Fiberglass ☐ Textured Fiberglass

Door Size: ☐ 2-6 ☐ 2-8 ☐ 2-10 ☐ 3-0 ☐ 3-6 ☐ 4-0 ☐ 5-0 ☐ 5-4 ☐ 5-8 ☐ 6-0

Door Height: ☐ 6-8 **Custom Rough Opening Height** _____

Sidelight Size: ☐ 12" ☐ 14"

Glass Name: _____ Glass Caming Color: _____ Grids: **Internal, External or SDL**

Jamb Type: ☐ Primed Wood ☐ White Cap Composite ☐ Stainable Composite ☐ Pine ☐ **Quikfit Metal**

Jamb Width: ☐ 4-9/16 ☐ 6-9/16 ☐ Custom _____ **Up To 12-1/4"**

Door Swing: ☐ In-Swing ☐ Out-Swing

Door Handing: (pulling toward you) ☐ Left Hand ☐ Right Hand

Double Door Handing: ☐ Left Door Active from **Inside** ☐ Right Door Active from **Inside**

Brickmold: ☐ Yes ☐ No

Sill Option: ☐ Composite Adustable ☐ Bronze ☐ Handicap

Hinge Type: ☐ Standard ☐ Ball Bearing

Hinge Color: ☐ Satin Brass ☐ Satin Nickel ☐ Oil Rubbed Bronze

Deadbolt: ☐ Yes ☐ No

Weatherstrip: ☐ Bronze Compression ☐ Beige Magnetic


Sill Pan: ☐ Yes ☐ No

Door Viewer: ☐ Yes ☐ No If Yes, Circle: Brass Satin Nickel Bronze

Paint Color: _____ ☐ Jamb ☐ Lite Frame ☐ Both Sides ☐ Interior Only ☐ Exterior Only

Stain Color: _____ ☐ Jamb ☐ Lite Frame ☐ Both Sides ☐ Interior Only ☐ Exterior Only

Additional Notes:



Phone: 315 6452-3401 • Fax: 315 642-5052



Sherwin Williams - Dignified SW 6538



Quality, Service & Value Since 1948

North Counties Supply Co., Inc.

5 Depot Street • Philadelphia, NY 13673

P: 315-642-3401 • F: 315-642-5052 • www.northcounties.com